





GUIAS & PERFILES

Perfil Guías para Bandas Guías para Cadenas Guías de Soporte Lateral





ARCMECH
ROBOTICS S.A. de C.V.
www.arcmex.com

Pasión por la Robótica

GUIDE CHAINS

Lateral guide T1



Chain ISO

Type	Chain	Ref. ISO	B [mm]	H [mm]	b [mm]	h [mm]
T1-01	3/8"x7/32"	06-B1	15	10	5,4	1,5
T1-05	1/2"x2/16"	08-B1	20	10	7,4	2,2
T1-06	1/2"x5/16"	08-B1	20	15	7,4	2,2
T1-07	1/2"x5/16"	08-B1	20	20	7,4	2,2
T1-09	5/8"x3/8"	10-B1	20	10	9,2	2,6
T1-10	5/8"x3/8"	10-B1	20	15	9,2	2,6
T1-11	5/8"x3/8"	10-B1	20	20	9,2	2,6
T1-13	3/4"x7/16"	12-B1	25	10	11,3	2,4
T1-14	3/4"x7/16"	12-B1	25	15	11,3	2,4
T1-15	3/4"x7/16"	12-B1	25	20	11,3	2,4
T1-18	1"x17mm	16-B1	40	15	16,5	3,5
T1-19	1"x17mm	16-B1	40	20	16,5	3,5
T1-21	1 1/4"x3/4"	20-B1	45	15	19	4,3
T1-22	1 1/4"x3/4"	20-B1	45	20	19	4,3
T1-24	1 1/2"x1"	24-B1	60	15	24,6	5,6
T1-25	1 1/2"x1"	24-B1	60	20	24,6	5,6
T1-27	1 3/4"x31mm	28-B1	75	20	30	6,9
T1-30	2"x31mm	32-B1	80	20	30	7,8


Chain ASA

Type	Chain	Ref. ASA	B [mm]	H [mm]	b [mm]	h [mm]
T1-51	3/8"x3/16"	ASA 35	15	10	4	2,2
T1-54	1/2"x5/16"	ASA 40	20	10	7,1	2,3
T1-55	1/2"x5/16"	ASA 40	20	15	7,1	2,3
T1-56	1/2"x5/16"	ASA 40	20	20	7,1	2,3
T1-58	5/8"x3/8"	ASA 50	20	10	8,6	2,7
T1-59	5/8"x3/8"	ASA 50	20	15	8,6	2,7
T1-60	5/8"x3/8"	ASA 50	20	20	8,6	2,7
T1-62	3/4"x1/2"	ASA 60	25	10	11,9	3,4
T1-63	3/4"x1/2"	ASA 60	25	15	11,9	3,4
T1-64	3/4"x1/2"	ASA 60	25	20	11,9	3,4
T1-66	1"x5/8"	ASA 80	40	15	15,1	4,5
T1-68	1"x5/8"	ASA 80	40	20	15,1	4,5

Chain ISO


Type	Chain	Ref. ISO	B [mm]	h [mm]	b [mm]	h [mm]	P [mm]
T2-01	3/8"x7/32"	06-B2	25	10	5,4	1,5	15,8
T2-05	1/2"x5/16"	08-B2	35	10	7,4	2,2	21,4
T2-06	1/2"x5/16"	08-B2	35	15	7,4	2,2	21,4
T2-07	1/2"x5/16"	08-B2	35	20	7,4	2,2	21,4
T2-09	5/8"x3/8"	10-B2	40	10	9,2	2,6	25,8
T2-10	5/8"x3/8"	10-B2	40	15	9,2	2,6	25,8
T2-11	5/8"x3/8"	10-B2	40	20	9,2	2,6	25,8
T2-13	3/4"x7/16"	12-B2	45	15	11,3	2,4	30,8
T2-14	3/4"x7/16"	12-B2	45	20	11,3	2,4	30,8
T2-15	1"x17mm	16-B2	65	15	16,5	3,5	48,4
T2-18	1"x17mm	16-B2	65	20	16,5	3,5	48,4
T2-19	1 1/4"x3/4"	20-B2	70	15	19	4,3	54,5
T2-21	1 1/4"x3/4"	20-B2	70	20	19	4,3	54,5
T2-22	1 1/2"x1"	24-B2	88	20	24,6	5,6	73
T2-24	1 3/4"x31mm	28-B2	105	25	30	6,9	89,6
T2-25	2"x31mm	32-B2	105	30	30	7,8	88,7

Lateral guide T2





Chain ASA

Type	Chain	Ref. ASA	B [mm]	H [mm]	b [mm]	b [mm]	P [mm]
T2-51	3/8"x3/16	ASA 35.2	25	10	4	2,2	14,13
T2-55	1/2"x5/16"	ASA 40.2	35	10	7,1	2,3	21,48
T2-56	1/2"x5/16"	ASA 40.2	35	15	7,1	2,3	21,48
T2-57	1/2"x5/16"	ASA 40.2	35	20	7,1	2,3	21,48
T2-59	5/8"x3/8"	ASA 50.2	40	10	8,6	2,7	26,71
T2-60	5/8"x3/8"	ASA 50.2	40	15	8,6	2,7	26,71
T2-61	5/8"x3/8"	ASA 50.2	40	20	8,6	2,7	26,71
T2-63	3/4"x1/2"	ASA 60.2	45	10	11,9	3,4	34,68
T2-64	3/4"x1/2"	ASA 60.2	45	15	11,9	3,4	34,68
T2-65	3/4"x1/2"	ASA 60.2	45	20	11,9	3,4	34,68
T2-67	1"x5/8"	ASA 80.2	55	15	15,1	4,5	44,39
T2-68	1"x5/8"	ASA 80.2	55	20	15,1	4,5	44,39





GUIDE CHAIN




Lateral guide T3

Type	Chain	Ref. ISO	B [mm]	H [mm]	b [mm]	h [mm]	P [mm]
T3-01	3/8"x7/32"	06-B3	35	10	5,4	1,5	25,9
T3-05	1/2"x5/16"	08-B3	45	10	7,4	2,2	35,2
T3-06	1/2"x5/16"	08-B3	45	15	7,4	2,2	35,2
T3-07	1/2"x5/16"	08-B3	45	20	7,4	2,2	35,2
T3-09	5/8"x3/8"	10-B3	55	10	9,2	2,6	42,4
T3-10	5/8"x3/8"	10-B3	55	15	9,2	2,6	42,4
T3-11	5/8"x3/8"	10-B3	55	20	9,2	2,6	42,4
T3-13	3/4"x7/16"	12-B3	60	15	11,3	2,4	50,2
T3-14	3/4"x7/16"	12-B3	60	20	11,3	2,4	50,2
T3-15	1"x17 mm	16-B3	95	20	16,5	3,5	80,3

Lateral guide ET





Type	Chain	Ref. ISO	Metallic profile	HC [mm]	B [mm]	H [mm]	h [mm]	h [mm]	h1 [mm]
ET-00	3/8"x7/32"	06-B1	C-3	28,7	20	26,4	5,4	1,4	6,6
ET-01	1/2"x5/16"	08-B1	C-3	30,5	20	28	7,4	2	8,7
ET-02	5/8"x3/8"	10-B1	C-3	36	20	34,1	9,2	2,5	10,4
ET-03	3/4"x7/16"	12-B1	C-5	41,5	24	38,5	11,3	2,3	12,3
ET-04	1"x17mm	16-B1	C-9	61,5	33,5	52,4	16,5	4,1	16,1



Lateral guide T1C

Type	Chain	Ref. ISO	Metallic profiles	HC [mm]	B [mm]	H [mm]	b [mm]	h [mm]
T1C-31	3/8"x7/32"	06-B1	C-3	17	20	15	5,4	1,5
T1C-33	1/2"x5/16"	08-B1	C-3	17	20	15	7,4	2,2
T1C-34	5/8x3/8"	10-B1	C-3	17	20	15	9,2	2,6
T1C-35	3/4"x7/16"	12-B1	C-3	17	20	15	11,3	2,4
T1C-36	1"x17mm	16-B1	C-5	18	28	15	16,5	3,5
T1C-37	1 1/4"x3/4"	20-B1	C-9	27	38	20	19	4,3



Lateral guide T2C





Type	Chain	Ref. ISO	Metallic profile	HC [mm]	B [mm]	H [mm]	b [mm]	h [mm]
T2C-31	3/8"x7/32"	06-B2	C-3	17	15,7	15	5,4	1,5
T2C-33	1/2"x5/16"	08-B2	C-3	17	21,4	15	7,4	2,2
T2C-34	5/8x3/8"	10-B2	C-5	19	25,9	15	9,2	2,6
T2C-35	3/4"x7/16"	12-B2	C-5	19	30,7	15	11,3	2,4
T2C-36	1"x17mm	16-B2	C-9	27	48,3	20	16,5	3,5

Guide chains

Guide E1





Type	Chain	Ref.ISO	B [mm]	H [mm]	b [mm]	h [mm]	h1 [mm]	b1 [mm]
E1-01	3/8"x7/32"	06-B1	25	10	5,4	1,5	15	4,4
E1-05	1/2"x5/16"	08-B1	30	15	7,4	2,2	20	7,2
E1-06	5/8"x3/8"	10-B1	33	20	9,2	2,6	23	9,5
E1-07	3/4"x7/16"	12-B1	38	20	11,3	2,4	28	11,1
E1-10	1"x17mm	16-B1	51	25	16,5	3,5	41	16,5





Guide E2

Type	Chain	Ref. ISO	B [mm]	H [mm]	b [mm]	h [mm]	h1 [mm]	b1 [mm]
E2-01	3/8"x7/32"	06-B2	36	15	5,4	1,5	26	4,4
E2-05	1/2"x5/16"	08-B2	45	20	7,4	2,2	35	7,2
E2-06	5/8"x3/8"	10-B2	50	25	9,2	2,6	40	9,5
E2-07	3/4"x7/16"	12-B2	56	25	11,3	2,4	46	11,1
E2-10	1"x17mm	16-B2	85	30	16,5	3,5	75	16,5

Guide E1C





Type	Chain	Ref. ISO	Metallic profile	HC [mm]	H [mm]	B [mm]	b [mm]	h [mm]	b1 [mm]	h1 [mm]
E1-01	3/8"x7/32"	06-B1	C-3	20	25	18	5,4	1,5	15	4,4
E1-05	1/2"x5/16"	08-B1	C-3	27	30	25	7,4	2,2	20	7,2
E1-06	5/8"x3/8"	10-B1	C-5	32	33	30	9,2	2,6	23	9,5
E1-07	3/4"x7/16"	12-B1	C-9	38,5	38	35	11,3	2,4	28	11,1
E1-10	1"x17mm	16-B1	C-9	43,5	51	40	16,5	3,5	41	16,5



Guide E2C

Type	Chain	Ref. ISO	Metallic profile	HC [mm]	H [mm]	B [mm]	b [mm]	h [mm]	b1 [mm]	h1 [mm]
E2C-01	3/8"x7/32"	06-B2	C-5	22	18	36	5,4	1,5	26	4,4
E2C-05	1/2"x5/16"	08-B2	C-9	33	25	45	7,4	2,2	35	7,2
E2C-06	5/8"x3/8"	10-B2	C-9	32	30	50	9,2	2,6	40	9,5
E2C-07	3/4"x7/16"	12-B2	C-9	38,5	35	56	11,3	2,4	46	11,1
E2C-10	1"x17mm	16-B2	C-9	43,5	40	86	16,5	3,5	75	16,5

Guide chains





Guide U


Type	Chain	Ref. ISO	B [mm]	H [mm]	b [mm]	h [mm]	b1 [mm]	h1 [mm]
U-01	13/8"x7/32"	06-B1	20	15	9,2	4,2	4	2,8
U-02	1/2"x5/16"	08-B1	25	15	12,7	4,2	5	3,5
U-03	5/8"x3/8"	10-B1	25	15	15,2	5,1	6	3,6
U-04	3/4"x7/16"	12-B1	25	20	16,7	5,7	7	3,9
U-05	1"x17mm	16-B1	35	25	24,4	10	9	8,4

Guide chains

Guide UC





Type	Chain	Ref. ISO	Metallic profile	HC [mm]	B [mm]	H [mm]	b [mm]	h [mm]	b1 [mm]	h1 [mm]
UC-32	1/2"x5/16"	08-B1	C-3	18	20	15	12,7	4,8	5	3,5
UC-33	5/8"x3/8"	10-B1	C-3	18	23	15	15,2	5,1	6	3,6
UC-34	3/4"x7/16"	12-B1	C-3	23	23	20	16,7	5,7	7	3,9
UC-35	1"x17mm	16-B1	C-5	28	32	25	24,4	10	8	8,4



Guide BL

Type	Chain	Ref. ISO	B [mm]	H [mm]	b [mm]	h [mm]	b1 [mm]	h1 [mm]	b2 [mm]	h2 [mm]
BL-01	3/8"x7/32"	06-B1	20	25	9,3	5,6	6,6	8,7	4	10
BL-05	1/2"x5/16"	08-B1	24	30	12,8	7,6	8,7	11,5	5	13,5
BL-09	5/8"x3/8"	10-B1	30	35	15,4	9,5	10,4	13,5	6	14,8
BL-15	3/4"x7/16"	12-B1	40	35	16,9	11,5	12,3	15,9	7	17,5
BL-18	1"x17mm	16-B1	40	45	24,4	16,1	16,1	25,7	9	26,8
BL-21	1 1/4x3/4"	20-B1	50	50	27,5	19,4	19,3	29,3	11	31,2
BL-24	1 1/2"x1"	24-B1	60	60	36,5	25,2	25,7	38,2	16	40,1
BL-25	1 3/4"x31mm	28-B1	60	70	41,5	30,8	28,3	46,9	17	48,9
BL-30	2"x31mm	32-B1	70	75	44,5	30,8	29,6	47,3	19	53



Guide BLC



Type	Chain	Ref. ISO	Metallic profile	BC [mm]	HC [mm]	b [mm]	h [mm]	b1 [mm]	h1 [mm]	b2 [mm]	h2 [mm]
BLC-01	3/8"x7/32"	06-B1	C-10	30	24	19,8	5,6	6,6	8,7	4	10
BLC-05	1/2"x5/16"	08-B1	C-10	30	24	19,8	7,6	8,7	11,5	5	13,5
BLC-09	5/8"x3/8"	10-B1	C-10	30	24	19,8	9,5	10,4	13,5	6	14,8
BLC-15	3/4"x7/16"	12-B1	C-10	30	24	19,8	11,5	12,3	15,9	7	17,5
BLC-18	1"x17mm	16-B1	C-11	45	40	30,6	16,1	16,1	25,7	9	26,8
BLC-21	1 1/4x3/4"	20-B1	C-11	45	40	30,6	19,5	19,3	29,3	11	31,2




Guide chains

Guide KC




Type	Chain	Ref. ISO	Metal profile	HC [mm]	B [mm]	H [mm]	b [mm]	h [mm]	b1 [mm]	h1 [mm]	b2 [mm]	h2 [mm]
KC-01	3/8"x7/32"	06-B1	C-3	21	20	17,5	9,3	5,6	6,6	8,7	4	9,9
KC-02	1/2"x5/16"	08-B1	C-5	32	24	27,5	12,8	7,6	8,7	11,5	5	12,7
KC-03	5/8"x3/8"	10-B1	C-5	32	24	27,5	15,4	9,5	10,4	13,5	6	14,8
KC-04	3/4"x7/16"	12-B1	C-9	43	33	34	16,9	11,5	12,3	15,9	7	17,5
KC-05	1"x17mm	16-B1	C-10	50	38	40	24,4	16,1	16,1	25,7	9	26,8

Guide BKC



Type	Chain	Ref. ISO	Metallic profile	BC [mm]	HC [mm]	b [mm]	h [mm]	h1 [mm]
BKC-01	3/8"x7/32"	06-B1	C-14 / C-15	31	25	6,6	5,6	8,7
BKC-05	1/2"x5/16"	08-B1	C-14 / C-15	31	25	8,7	7,6	11,5
BKC-09	5/8"x3/8"	10-B1	C-14 / C-15	31	25	10,4	9,5	13,5
BKC-15	3/4"x7/16"	12-B1	C-14 / C-15	31	25	12,3	11	15,9


Guide R




Type	Ø [mm]	B [mm]	H [mm]	h [mm]	Ø [mm]
R-01	4	15	10	2	4
R-03	5	15	10	2,5	5
R-05	6	20	10	3	6
R-07	8	20	10	4	8
R-09	10	25	12	5	10
R-11	12	25	12	6	12
R-13	15	25	15	7,5	15
R-15	20	30	20	10	20

Guide RC


Type	Metallic profile	Ø [mm]	HC [mm]	B [mm]	H [mm]	h [mm]	Ø [mm]
RC-02	C-3	4	14	20	10	2	4
RC-04	C-3	5	14	20	10	2,5	5
RC-06	C-3	6	14	20	10	3	6
RC-08	C-3	8	14	20	10	4	8
RC-10	C-5	10	18	25	15	5	10
RC-12	C-5	12	18	25	15	6	12
RC-14	C-5	15	20	25	15	7,5	15
RC-16	C-5	20	24	28	20	10	20




Guide 99400




Guide 99401




Guide 99403




Guide 99405




Guide 99078




Guide 99529








Guide V



Typ	?	?	B [mm]	H [mm]	b [mm]	h [mm]
V-01	Z	10	20	10	6,5	3
V-03	A	13	20	12	8	5
V-05	SPB	15	25	12	9,5	5
V-07	B	17	30	15	10,5	8
V-09	C	22	35	20	13,5	11
V-11	D	30	40	25	19	13

Guide VC


Type	Metallic profile	?	?	HC [mm]	B [mm]	H [mm]	b [mm]	h [mm]
VC-02	C-3	Z	10	17	20	15	6,5	3
VC-04	C-3	A	13	17	20	15	8	5
VC-05	C-5	SPB	15	24	25	20	9,5	5
VC-08	C-5	B	17	24	30	20	10,5	8
VC-10	C-9	C	22	32	35	25	13,5	11
VC-12	C-9	D	30	35	40	25	19	13




Guide F

Guide PC

Type	Metallic profile	B [mm]	H [mm]	h [mm]	HC [mm]
PC-01	C-3	20	10	4	14
PC-02	C-3	20	15	7	17
PC-03	C-3	20	20	12	22
PC-04	C-5	28	10	3	15
PC-05	C-5	28	15	6	18
PC-06	C-5	28	20	12	24
PC-07	C-9	38	10	3	21
PC-08	C-9	38	15	6	24
PC-09	C-9	38	20	12	30




Guides steel strip under the B-C from stainless steel AISI 304 or of galvanized
length 3000 and 6000 mm



Steel guide


Guides steel strip under the B-C
from stainless steel AISI 304 or
of galvanized
length 3000 and 6000 mm

Profiles L 3000 e 6000 mm





A [mm]	B [mm]	C [mm]	D [mm]	E [mm]	F [mm]	G [mm]
14,2	10,4	6,2	18	2	6	2

Square profile 10-10 Rectangular profile 10-15 L 3000 e 6000mm




Profile	Square	Rectangular
A [mm]	10	10
B [mm]	10	15
C [mm]	1,5	1,5




GUIDES GTC

Aluminium profile with a flat guide GTCL3000 e 6000




A [mm]	B [mm]	C [mm]	D [mm]
25,5	7,8	12,5	28



Profile GTC	A [mm]	B [mm]	C [mm]	D [mm]
pod pas B	25,5	8	12,5	28
pod pas C	25,5	8	12,5	28

Aluminium profiles with a guide GTC polyethylene under round belt L3000 e 6000





Profile GTC	A [mm]	B [mm]	C [mm]	D [mm]
pod pas D.12	25,5	6,5	12,5	28
pod pas D.10	25,5	5,5	12,5	28
pod pas D.8	25,5	4,5	12,5	28

DIAMOND GUIDES

- Diamond guide and Diamond plus guides under the belt B-C
- Diamond guide made of polyethylene with a higher coefficient of slip
- Diamond plus guides made of polyethylene a higher coefficient of slip and increased resistance to abrasion


- Diamond guide and Diamond plus guides under the belt B-C
- Diamond guide made of polyethylene with a higher coefficient of slip
- Diamond plus guides made of polyethylene a higher coefficient of slip and increased resistance to abrasion



Guide	A [mm]	B [mm]	C [mm]	D [mm]	E [mm]	F [mm]
pod pas B	12,5	8	28	10,5	22	24,9
pod pas C	12,5	8	28	13,5	22	24,9

ALUMINIUM PROFILE


Aluminium profile (5607) for diamond guides and diamond plus guides



A [mm]	B [mm]	C [mm]	D [mm]	E [mm]	F [mm]	G [mm]
18,75	10,5	12,3	25,4	28	22,5	4

Lateral guides

Profile LK20




Profile LK25




Profile LK40




Thick s (mm)	length rolls (m)	Width guide B											
		10	20	25	30	35	40	45	50	60	70	80	100
2	117	*	*	*	*	*	*	*	*	*	*	*	*
3	82	*	*	*	*	*	*	*	*	*	*	*	*
4	60	*	*	*	*	*	*	*	*	*	*	*	*
5	48	*	*	*	*	*	*	*	*	*	*	*	*
6	38	*	*	*	*	*	*	*	*	*	*	*	*




STILL PROFILES




C1




C3




C5




C10




C11




C12




C9/1.5




C9



C13



C14H



C15V



ARCMEX
ROBOTICS S.A. de C.V.
www.arcmex.com

Pasión por la Robótica

Colombia

ventas@arcmex.com

(+57) 304-455-9350

(+57) 300-983-8861

(+57) 322-873-5720

(+57) 324-612-1176

México

ventas@arcmex.com

(+52) 311-197-7225

(+52) 311-743-1674

(+32) 311-392-6634